



Vehicle
Certification
Agency



Maritime &
Coastguard
Agency



Department
for Transport



VCA Dangerous Goods Office
Ashcombe House
5 The Crescent, Leatherhead
Surrey, KT22 8DY, UK
T +44 (0)1372 226110
E dgenquiries@vca.gov.uk
www.vehicle-certification-agency.gov.uk

CERTIFICATE OF PACKAGING PERFORMANCE

Issued on behalf of the Department for Transport, Civil Aviation Authority and the Maritime and Coastguard Agency by the VCA Dangerous Goods Office

Certificate serial number: 7652

Issue number and date: 01 13/12/2024

NOT TRANSFERABLE

Application No.: 10493

Issued to:
DOLAV Germany GmbH
Überseelallee 1
Hamburg 20457
Germany

Packaging type: 4H2 Description:
Box, plastics, solid

Dimensions: 1200 length x 800 width x 740 height

Tare: 45.6 kg

Closure method: 8 Hinged Toggle Clamps

Battened: No

Strapped: No

Fittings and material:

Top pad: Yes-Insulation

Liner: Yes-N/A

Bottom Pad: Yes-Insulation

Layer Pad: Yes-Insulation

Dividers: No-

Void Filler: No-

Contents: Tested with Sand Bags and Lead Ingots for Lithium Batteries

Details Inner packages:

Further details and options on schedule issue no n/a and date n/a.

Number: 9999 containing

Type: Lithium Ion Batteries desc:

It is certified that samples of the packaging design type described above have been tested in accordance with the provisions of the United Nations Recommendations on the Transport of Dangerous Goods, Chapter 6.1 (and the equivalent provisions in RID/ADR, the IMDG Code and the ICAO Technical Instructions) and successfully met the criteria described in paragraphs 6.1.5.3 to 6.1.5.6: at test levels of:

Closure:

Drop Height (m) Stack Height (m)

1.8

3

THE TEST REPORT(S) AND ITS APPENDICES ARE AN INTEGRAL PART OF THIS DOCUMENT

Special Notes:

Internally padded with AkkuGrain thermal insulation material (122kg). Packaging has been tested and met the requirements of P911 to contain Lithium Batteries, Approved to a maximum of 9kWh

The packaging is approved, as provided in the relevant transport rule, to contain articles or articles in inner packagings.

Packing Group Maximum gross mass (kg)

I 427

II

III

Packagings of the sample specifications shall bear the marking:


 4H2/X427/S/**/GB/7652

** To be replaced by the last two digits of the year of manufacture

Revalidation due by: 31/12/2029

For further details see www.vca.gov.uk

Signed:



for Ziyad Akhlaq, Head of Dangerous Goods VCA DGO

Amendments or additions to this certificate or the design type specification described therein other than those authorised by the certifying body render the certificate invalid.